



SCRUBBER DRYERS - WALK BEHIND

CT40



MAX PRODUCTIVITY

2475

m²/h

BATTERIES
RUNNING TIME

2,5 h

WATER TANK
RUNNING TIME

45'

working session

TELEMATICS GPS (optional)
GEOLOCATION OF ALL YOUR MACHINES



CERTIFICATIONS



GREEN CLEANING EFFICIENCY



ISO 14067 CARBON FOOTPRINT CERTIFIED

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS



TELEMATICS GPS



DBL™ DOUBLE BATTERY LIFE



SLS™ SELF LEVELING SYSTEM



ANTIBACTERIAL PLASTIC

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT DOSING SYSTEM (OPTIONAL)



ANTI-FOAM SYSTEM WITH SPECIALELECTROMECHANICAL SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT40 B50	CT40 B50 ANTIBACTERIAL	CT40 BT50	CT40 C50
Code		LPTB01406	LPTB03424	LPTB01408	LPTE00546
PERFORMANCE					
Max theoretical productivity	m ² /h	1750	1750	2250	1750
Cleaning path	mm	500	500	500	500
Water tank capacity (solution recovery)	l	40/50	40/50	40/50	40/50
Max running time	min	150	150	140	Unlimitess
Voltage	V-Ah	24(2x12)-105 GEL	24(2x12)-105 GEL	24(2x12)-105 GEL	230-50
Installed power	W	1030	1030	1250	1100
Brush pressure	kg	18	18	18	23
Squeegee width	mm	815	815	815	815
Max speed	km/h	3,5	3,5	4,5	3,5
Weight	kg	67	67	73	83
Dimension (LxWxH)	mm	1230x516x960	1230x516x960	1230x516x960	1230x516x960

STANDARD EQUIPMENT

		CT40 C50	CT40 B50 ANTIBACTERIAL	CT40 B50	CT40 BT50
BRUSHES					
PPL SOFT		SPPV01498	SPPV01498	SPPV01498	SPPV01498
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm		-	-	-	-
SQUEEGEE BLADES					
LATEX FRONT BLADE		MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE		MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MECB42513

MAIN CABLE M/F
SOCKET - 20 m
[3X2,5 mm² 230V - 50HZ]



CODE: KTRI01763

CHEM DOSE KIT



CODE: KTRI01870

SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: MPVR05611

SPLASH GUARD



CODE: KTRI01573

DISCHARGE HOSE



CODE: KTRI02257

EXTERNAL SUCTION KIT



CODE: KTRI06169

KIT TELEMATIC BASIC
FOR B VERSIONS
(NO TRACTION)



CODE: KTRI06167

KIT TELEMATIC BASIC
FOR BT VERSIONS
(WITH TRACTION)



CODE: KTRI06168

KIT TELEMATIC FULL
FOR B VERSIONS
(NO TRACTION)



CODE: KTRI06166

KIT TELEMATIC FULL
FOR BT VERSIONS
(WITH TRACTION)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGER

WH-B05, Block B, UAQ Free Trade Zone, Ahmed Bin Rashid Port, Umm Al Quwain, UAE

Tel. +971525453816 | info@aura-max.com - www.aura-max.com